

Lancaster Depew Chiropractic
345 Dick Road Depew, New York 14043
RE-EXAMINATION PATIENT INTAKE

Patient Name: _____

Date: _____

1. Describe your symptoms:

2. When did your symptoms start: _____ How did your symptoms starts? _____

3. Any changes in medical history/medication Yes/No (please list if yes) _____

Please circle all that apply for each question listed below

4. How often do you experience your symptoms: constant – frequent – occasionally – intermittent

5. How would you describe symptoms severe – moderate - mild - slight

6. How would you describe your symptoms sharp – dull – ache- shooting –burning- tingling- numb

7. Are your symptoms changing getting better- not changing – getting worse

Thinking about the last 2 weeks check the box to the following questions:

Disagree

Agree

1. My back pain has spread down my leg(s) at some time in the last 2 weeks
2. I have had pain in the shoulder or neck at some time in the last 2 weeks
3. I have only walked short distances because of my back pain
4. In the last 2 weeks, I have dressed more slowly than usual because of back pain
5. It's not really safe for a person with a condition like mine to be physically active
6. Worrying thoughts have been going through my mind a lot of the time
7. I feel that my back pain is terrible and it's never going to get any better
8. In general I have not enjoyed all the things I used to enjoy

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>


Overall, how bothersome has your back pain been in the last 2 weeks?

Not at all Slightly Moderately Very much Extremely

Please mark where your symptoms are located

How would you rate the severity of your main problem on a scale from 0 (not severe) to 10 (worst imaginable)

Right Now: 0 1 2 3 4 5 6 7 8 9 10
At its best: 0 1 2 3 4 5 6 7 8 9 10
At its worst: 0 1 2 3 4 5 6 7 8 9 10
On average: 0 1 2 3 4 5 6 7 8 9 10



Patient signature _____

OVER- please complete other side

LOW BACK DISABILITY QUESTIONNAIRE (REVISED OSWESTRY)

This questionnaire has been designed to give the doctor information as to how your back pain has affected your ability to manage in everyday life. **Please answer every section and mark in each section only ONE box which applies to you.** We realize you may consider that two of the statements in any one section relate to you, but **please just mark the box which MOST CLOSELY describes your problem.**

Section 1 - Pain Intensity

- I can tolerate the pain without having to use painkillers.
- The pain is bad but I can manage without taking painkillers.
- Painkillers give complete relief from pain.
- Painkillers give moderate relief from pain.
- Painkillers give very little relief from pain.
- Painkillers have no effect on the pain and I do not use them.

Section 2 -- Personal Care (Washing, Dressing, etc.)

- I can look after myself normally without causing extra pain.
- I can look after myself normally but it causes extra pain.
- It is painful to look after myself and I am slow and careful.
- I need some help but manage most of my personal care.
- I need help every day in most aspects of self care.
- I do not get dressed, I wash with difficulty and stay in bed.

Section 3 – Lifting

- I can lift heavy weights without extra pain.
- I can lift heavy weights but it gives extra pain.
- Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, for example on a table.
- Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned.
- I can lift very light weights.
- I cannot lift or carry anything at all.

Section 4 – Walking

- Pain does not prevent me from walking any distance.
- Pain prevents me from walking more than one mile.
- Pain prevents me from walking more than one-half mile.
- Pain prevents me from walking more than one-quarter mile.
- I can only walk using a stick or crutches.
- I am in bed most of the time and have to crawl to the toilet.

Section 5 -- Sitting

- I can sit in any chair as long as I like
- I can only sit in my favorite chair as long as I like
- Pain prevents me from sitting more than one hour.
- Pain prevents me from sitting more than 30 minutes.
- Pain prevents me from sitting more than 10 minutes.
- Pain prevents me from sitting almost all the time.

Scoring: Questions are scored on a vertical scale of 0-5. Total scores and multiply by 2. Divide by number of sections answered multiplied by 10. A score of 22% or more is considered significant activities of daily living disability.

(Score x 2) / (Sections x 10) = %ADL

Section 6 – Standing

- I can stand as long as I want without extra pain.
- I can stand as long as I want but it gives extra pain.
- Pain prevents me from standing more than 1 hour.
- Pain prevents me from standing more than 30 minutes.
- Pain prevents me from standing more than 10 minutes.
- Pain prevents me from standing at all.

Section 7 -- Sleeping

- Pain does not prevent me from sleeping well.
- I can sleep well only by using tablets.
- Even when I take tablets I have less than 6 hours sleep.
- Even when I take tablets I have less than 4 hours sleep.
- Even when I take tablets I have less than 2 hours sleep.
- Pain prevents me from sleeping at all.

Section 8 – Social Life

- My social life is normal and gives me no extra pain.
- My social life is normal but increases the degree of pain.
- Pain has no significant effect on my social life apart from limiting my more energetic interests, e.g. dancing.
- Pain has restricted my social life and I do not go out as often.
- Pain has restricted my social life to my home.
- I have no social life because of pain.

Section 9 – Traveling

- I can travel anywhere without extra pain.
- I can travel anywhere but it gives me extra pain.
- Pain is bad but I manage journeys over 2 hours.
- Pain is bad but I manage journeys less than 1 hour.
- Pain restricts me to short necessary journeys under 30 minutes.
- Pain prevents me from traveling except to the doctor or hospital.

Section 10 – Changing Degree of Pain

- My pain is rapidly getting better.
- My pain fluctuates but overall is definitely getting better.
- My pain seems to be getting better but improvement is slow at the present.
- My pain is neither getting better nor worse.
- My pain is gradually worsening.
- My pain is rapidly worsening.

Comments _____

Reference: Fairbank, Physiotherapy 1981; 66(8): 271-3, Hudson-Cook. In Roland, Jenner (eds.), Back Pain New Approaches To Rehabilitation & Education. Manchester Univ Press, Manchester 1989: 187-204

NECK DISABILITY INDEX

THIS QUESTIONNAIRE IS DESIGNED TO HELP US BETTER UNDERSTAND HOW YOUR NECK PAIN AFFECTS YOUR ABILITY TO MANAGE EVERYDAY -LIFE ACTIVITIES. PLEASE MARK IN EACH SECTION THE **ONE BOX** THAT APPLIES TO YOU. ALTHOUGH YOU MAY CONSIDER THAT TWO OF THE STATEMENTS IN ANY ONE SECTION RELATE TO YOU, PLEASE MARK THE BOX THAT **MOST CLOSELY** DESCRIBES YOUR PRESENT -DAY SITUATION.

SECTION 1 - PAIN INTENSITY

- I have no pain at the moment.
- The pain is very mild at the moment.
- The pain is moderate at the moment.
- The pain is fairly severe at the moment.
- The pain is very severe at the moment.
- The pain is the worst imaginable at the moment.

SECTION 2 - PERSONAL CARE

- I can look after myself normally without causing extra pain.
- I can look after myself normally, but it causes extra pain.
- It is painful to look after myself, and I am slow and careful.
- I need some help but manage most of my personal care.
- I need help every day in most aspects of self-care.
- I do not get dressed. I wash with difficulty and stay in bed.

SECTION 3 - LIFTING

- I can lift heavy weights without causing extra pain.
- I can lift heavy weights, but it gives me extra pain.
- Pain prevents me from lifting heavy weights off the floor but I can manage if items are conveniently positioned, ie. on a table.
- Pain prevents me from lifting heavy weights, but I can manage light weights if they are conveniently positioned.
- I can lift only very light weights.
- I cannot lift or carry anything at all.

SECTION 4 - WORK

- I can do as much work as I want.
- I can only do my usual work, but no more.
- I can do most of my usual work, but no more.
- I can't do my usual work.
- I can hardly do any work at all.
- I can't do any work at all.

SECTION 5 - HEADACHES

- I have no headaches at all.
- I have slight headaches that come infrequently.
- I have moderate headaches that come infrequently.
- I have moderate headaches that come frequently.
- I have severe headaches that come frequently.
- I have headaches almost all the time.

SECTION 6 - CONCENTRATION

- I can concentrate fully without difficulty.
- I can concentrate fully with slight difficulty.
- I have a fair degree of difficulty concentrating.
- I have a lot of difficulty concentrating.
- I have a great deal of difficulty concentrating.
- I can't concentrate at all.

SECTION 7 - SLEEPING

- I have no trouble sleeping.
- My sleep is slightly disturbed for less than 1 hour.
- My sleep is mildly disturbed for up to 1-2 hours.
- My sleep is moderately disturbed for up to 2-3 hours.
- My sleep is greatly disturbed for up to 3-5 hours.
- My sleep is completely disturbed for up to 5-7 hours.

SECTION 8 - DRIVING

- I can drive my car without neck pain.
- I can drive as long as I want with slight neck pain.
- I can drive as long as I want with moderate neck pain.
- I can't drive as long as I want because of moderate neck pain.
- I can hardly drive at all because of severe neck pain.
- I can't drive my car at all because of neck pain.

SECTION 9 - READING

- I can read as much as I want with no neck pain.
- I can read as much as I want with slight neck pain.
- I can read as much as I want with moderate neck pain.
- I can't read as much as I want because of moderate neck pain.
- I can't read as much as I want because of severe neck pain.
- I can't read at all.

SECTION 10 - RECREATION

- I have no neck pain during all recreational activities.
- I have some neck pain with all recreational activities.
- I have some neck pain with a few recreational activities.
- I have neck pain with most recreational activities.
- I can hardly do recreational activities due to neck pain.
- I can't do any recreational activities due to neck pain.

PATIENT NAME _____

DATE _____

SCORE _____ [50]

BENCHMARK -5 = _____